» RECHARGEABLE CREE 120W



- ☐ Comes with convenient low battery warning system and waterproof activation switch
- ☐ Digital meter will show the battery capacity
- ☐ 12 Degree spotlight or 360 degree scene light
- ☐ CREE 120W LED super bright
- ☐ Remote-control switch

FOR USE WITH

FIRE FIGHTING

OUTDOOR CAMPING

EMERGENCY EQUIPMENT

AGRICULTURAL EQUIPMENT

RAILWAY/AUTO MAINTENANCE TUNNEL CONSTRUCTION

☐ High/Middle/Low switch/strobe





Technical Information


Model	aJG-RLS120W-512722	
Bulb Type	Cree T6 10*12PCS	
Brightness	12.000Lm	
Capacity	Sealed 24Ah	
Working Time	20 H(Law), 3 H(High)	
Charging Time	8-10H	
Battery Life	500 Cycles	
Power Connector	Cord 157"(4m)	
Mass Height Extended	78.5°(2m)	
OPERATING TEMP	-40℃~+80℃	

360° scene light



Spot/Flood





>> RECHARGEABLE CREE 60W



- ☐ 12 Degree spotlight or 360 degree scene light
- ☐ CREE 60W LED super bright
- ☐ Remote-control switch
- ☐ High/Middle/Low switch
- ☐ 4 Meter cordless leads
- ☐ Mass height: 1M
- ☐ Waterproof: IP65

FOR USE WITH

FIRE FIGHTING

OUTDOOR CAMPING

EMERGENCY EQUIPMENT

AGRICULTURAL EQUIPMENT

RAILWAY/AUTO MAINTENANCE TUNNEL CONSTRUCTION INDUSTRIAL/ MINING ENTERPRISES

FUNCTION & ADVANTAGE O CHARGING CIRCULARLY SAVING REMOTE LIGHTING SUPERING DIMERBY OF ELECTRICITY



Technical Information

Model	5JG-RAL-819				
Bulb Type	Cree 5W *12PCS				
Brightness	4680Lm				
Capacity	12V 4Ah Lithium				
Working Time	High:1,5H Medium:3,5H Law 6H				
Charging Time	2Н				
Battery Life	500 Cycles				
Accessories	AC/DC Charger, Backpack				
Mass Height Extended	-1m				
OPERATING TEMP	-40℃~+80℃				

360° scene light



Plastic plug

Remote-control switch







Model	8JG-RLS-825
Buib Type	Cree T6 10W *12PCS
Brighmass	12000Lm
Capacity	AC 110Volts-240Volts DC12V
Working Time	
Charging Time	+
Battery Life	
Power Connector	Cord 157"(4m)
Mass Height Extended	Зm
OPERATING TEMP	-40℃~+80℃







» RECHARGEABLE CREE 120W



- ☐ Comes with convenient low battery warning system and waterproof activation switch
- ☐ 12 Degree spotlight or 360 degree scene light
- ☐ CREE 120W LED super bright
- ☐ Mass height up to 2.6M
- ☐ High/Middle/Low switch/SOS .







FUNCTION & ADVANTAGE FOR USE WITH INEAL FOR AGRICULTURAL EQUIPMENT RAILWAY/AUTO MAINTENANCE TUNNEL CONSTRUCTION INDUSTRIAL/ MINING ENTERPRISES FIRE FIGHTING OUTDOOR CAMPING EMERGENCY EQUIPMENT



Model .	alg-RLS-639
Bulb Type	Cree T6 10W *12PCS
Brightness	12000Lm
Capacity	12V 24Ah Lithium
Working Time	20 H (Low),3 H (High)
Charging Time	8-10H
Battery Life	500 Cycles
Accessories	AC/DC Charger, Portable Bag
Mass Height Extended	2.6m
OPERATING TEMP	-40℃~+80℃







» RECHARGEABLE 72W



- ☐ Digital meter will show the battery capacity
- ☐ Comes with convenient low battery warning system and waterproof activation switch .
- ☐ Fully extendable mast with 360° rotating head.
- ☐ High/Middle/Low/SOS switch
- ☐ Telescoping dual LED light heads.







FOR USE WITH

AGRICULTURAL EQUIPMENT
BAILWAY/AUTO MAINTENANCE
TUNNEL CONSTRUCTION
INDUSTRIAL/ MINING ENTERPRISES
FIRE FIGHTING
POLICE
OUTDOOR CAMPING
EMERGENCY EQUIPMENT

INEAL FOR





FUNCTION & ADVANTAGE











Model	5JG-RLS512722-72W
Buib Type	High Flux LED 36W*2 pcs
Brightness	4000Lm(High),2000Lm(Low)
Capacity	Sealed 24Ah
Working Time	28 H (Low),8 H (High)
Charging Time	7-8H
Battery Life	500 Cycles
Accessories	AC/DC Charger
Mass Height Extended	Cord 78.5"(2m)
OPERATING TEMP	-40℃~+80℃









>> RECHARGEABLE CREE 80W



- ☐ Digital display will show the battery capacity
- ☐ Comes with convenient low battery warning system and waterproof activation switch.
- ☐ Fully extendable mast with 360° rotating head.
- ☐ High/Middle/Low/SOS switch
- ☐ Telescoping dual CREE LED light heads.



FOR USE WITH

AGRICULTURAL EQUIPMENT RAILWAY/AUTO MAINTENANCE TUNNEL CONSTRUCTION INDUSTRIAL/ MINING ENTERPRISES FIRE FIGHTING OUTDOOR CAMPING EMERGENCY EQUIPMENT

INEAL FOR





FUNCTION & ADVANTAGE











5JG-RLS51-80WF

Model	5JG-RLS51-80WF
Bulb Type	CREE LED 40W*2 pcs
Brightness	5000Lm(High),2500Lm(Low)
Capacity	Sealed 24Ah
Working Time	25 H (Low),8 H (High)
Charging Time	7-8H
Battery Life	500 Cycles
Accessories	AC/DC Charger
Mass Height Extended	Cord 78.5"(2m)
OPERATING TEMP	-40℃~+80℃







>> REMOTE AREA LED WORK LIGHT



- ☐ Low battery warning intermittent blinking
- ☐ Up to 16 hours of working time
- ☐ 4 Meters cordless leads
- ☐ Total height: 55.11" (145 cm)
- ☐ Waterproof IP 67
- ☐ Box Size: 18.5*14*6 inch








FOR USE WITH

AGRICULTURAL EQUIPMENT RAILWAY/AUTO MAINTENANCE TUNNEL CONSTRUCTION INDUSTRIAL/ MINING ENTERPRISES FIRE FIGHTING OUTDOOR CAMPING EMERGENCY EQUIPMENT













FUNCTION & ADVANTAGE





5JG-RLS936L

Model	5JG-RLS936L
Bulb Type	High Flux LED 36W
Brightness	2000Lm (High) 1000Lm(Lpw)
Capacity	Sealed 24Ah
Working Time	16 H (Low) 8 H (High)
Charging Time	7-8H
Battery Life	500 Cycles
Accessories	AC/DC Charger
Size	7" * 4.5" * 1 6" Inch
OPERATING TEMP	-40℃~+80℃







>> REMOTE AREA LED WORK LIGHT



- ☐ Digital display will show the battery capacity
- ☐ High flux LED with efficient light
- ☐ Life span > 50,000 Hours
- ☐ Easily carriable and lightweight
- ☐ Rechargeable portable light with 500 cycles
- ☐ Handheld style
- ☐ High/Middle/Low/SOS switch
- ☐ Total height: 0.82M.

FOR USE WITH


AGRICULTURAL EQUIPMENT
RAILWAY/AUTO MAINTENANCE
TUNNEL CONSTRUCTION
INDUSTRIAL/ MINING ENTERPRISES
FIRE FIGHTING
POLICE
OUTDOOR CAMPING
EMERGENCY EQUIPMENT





Technical Information Model 5JG-231815-24W Bulb Type 24W LED 800Lm(Low)_1800Lm(High) Brightness Capacity Sealed 7Ah Working Time 6.5 H (High), 25 H (Low) 7-8H Charging Time Battery Life 500 Cycles Accessories AC/DC Charger Mass Height Extended 0.82M OPERATING TEMP -40℃~+80℃ Waterproof IP67 Handheld Style









Colors:

5JG-RLS9936

FOR USE WITH AGRICULTURAL EQUIPMENT RAILWAY/AUTO MAINTENANCE TUNNEL CONSTRUCTION MINING ENTERPRISES FIRE FIGHTING POLICE INEAL FOR CHARGING CIRCULARLY

Technical Information 5JG-RLS-B36L 5JG-RLS9936 Bulb Type 36W 36W 2200Lm Brighmass Capacity Sealed 17Ah 12V 7Ah Lead Acid Working Time 8H-34H AH-SH 7-8H Charging Time 8H Battery Life 500 Cycles 500 Cycles OPERATING TEMP -40℃~+80℃ -40℃~+80℃ ☐ 12V 7Ah lead acid battery/8.8AH lithium









W Superstrong Quantity
OF ELECTRICITY ☐ Total height: 1.67m

☐ 4 Meters cordless leads with cigar plug

☐ AC/DC Charger, shoulder belt

☐ Charging time: 8-10H

☐ Battery bag + steel tripod

☐ Weight: 9Kg

☐ Portable bag size:77*23*11 cm





CREE @ (E

- ☐ Hi-tech polycarbonate lens
- ☐ Unique reflector housing options(110/170mm)
- ☐ Ease of bulb replacement, no tools required
- ☐ Unique variable focus beam, spot to flood in second



FOR USE WITH

HUNTING EQUIPMENT AGRICULTURAL EQUIPMENT EMERGENCY EQUIPMENT MARINE EQUIPMENT AUTO EQUIPMENT

INEAL FOR







FUNCTION & ADVANTAGE









Superstrong Quantity
OF ELECTRICITY

Technical Information

Model	5JG-NFC96-25W	5JG-NFC170-45W
Bulb Type	Cree 25W	Cree 45W
Brightness	2000Lm	4000Lm
Capacity	7.4V 2.6AH Lithium	-
Working Time	3H	
Charging Time	8-10H	
Battery Life	500 Cycles	
Size	193.3*120*191	
Material	Aleminium Alloy	Aluminium Alloy
OPERATING TEMP	-40℃~+80℃	-40℃~+80℃

Super Bright 25W/45W CREE LED



Ergonomically Designed Handle





☐ Hi-tech polycarbonate lens

5JG-NFC120-27W

- ☐ Unique reflector housing options(120/150mm)
- ☐ Ease of bulb replacement, no tools required
- ☐ Unique variable focus beam, spot to flood in second



CREE @ (E

FOR USE WITH

HUNTING EQUIPMENT AGRICULTURAL EQUIPMENT EMERGENCY EQUIPMENT MARINE EQUIPMENT AUTO EQUIPMENT

INEAL FOR







FUNCTION & ADVANTAGE









Superstrong Quantilt OF ELECTRICITY

ENERGY-SAVING

Technical Information

Monei	5JG-NFC120LI-27W	5JG-NFC120-27W	aJG-NFC1a0-1ffW
Bulb Type	Cree 3W*9PCS	Cree 3W*9PCS	Cree 3W*12PCS
Brighmess	2000Lm	1500Lm	3600Lm
Capacity	7.4V 2.6AH Lithium	*	+
Working Time	SH		
Charging Time	8-10H		*.
Ballery Life	500 Cycles		-
Material	Aluminium	Aluminium	Aluminium
OPERATING TEMP	-40°C-+30°C	-48°C-+80°C	-40°C-+80°C

Super Bright 25W/45W CREE LED



Ergonomically Designed Handle





CREE♦ 2 (€

- ☐ Two options: rechargeable /12V cigar lighter
- ☐ ABS housing super lightweight
- ☐ Larger reflector which has wider range of irradiation distance



FOR USE WITH

HUNTING EQUIPMENT
AGRICULTURAL EQUIPMENT
EMERGENCY EQUIPMENT
MARINE EQUIPMENT
AUTO EQUIPMENT

INEAL FOR







FUNCTION & ADVANTAGE









ENERGY-SAVING

Technical Information

Model	Buibs	Strottery	Natk Time	Lummaas	I
5JG-NFC140LI-15W	Cree 10W LED	3.7v3.6AH Lithium	2H	1200Lm	
(\$10-NP©1#0-15W	Cree10WLED			=30gum	
5JG-NFL120-25W- CREE	Cree 25W LED	-	-	2000Lm	
SJG-NFL120-20W	LUMINIQUE 25W LEO	-		2000Lm	

☐ 4M leads with 12V cigar lighter

☐ Aluminium housing super lightweight
☐ Larger reflector which has wider

range of irradiation distance












- ☐ Two options: rechargeable /12V cigar lighter
- ☐ ABS housing super lightweight
- ☐ Larger reflector which has wider range of irradiation distance






W

Superstrong Quantity
OF ELECTRICITY

CHARGING CIRCULARLY

-(=





>> HID HANDHELD SPOTLIGHT



HID

- ☐ Hi-tech polycarbonate lens
- ☐ Unique reflector housing options(150/175/240mm)
- ☐ Ease of bulb replacement, no tools required
- ☐ Unique variable focus beam, spot to flood in second



FOR USE WITH

HUNTING EQUIPMENT
AGRICULTURAL EQUIPMENT
EMERGENCY EQUIPMENT
MARINE EQUIPMENT
AUTO EQUIPMENT

INEAL FOR





FUNCTION & ADVANTAGE









Superstrong Quantity
OF ELECTRICITY

ENERGY-SAVING

Model	Output Priver	Reflector Size	Brightness	Battery Pack	Working Time	Charging Time
5JG-NFH150	35W/ 55W HID	150MM	3500/4000Lm	4	-	1-
5.IG-NFH175	35W/ 55W HID	175MM	3500/4000Lm			
5JG-NFH240	35W/55W HID	240MM	3500/4000Lm	4	-	4
SUG-NEH (SOR	15W/ 55W HID	150MM	3500/4000Lm	12V TAH Lead And	1.511	5-10H
5JG-NFH175R	35W/ 55W HID	175MM	3500/4000Lm	12V 7AH Lead Acid	1.5H	8-10H
SIG-NEHZ40R	35W/55W HID	240MM	3500/4800Lm	12V 7AH Lead Add	1.5H	3-10H







>> HALOGEN HANDHELD SPOTLIGHT



HAL @ CE

- ☐ Hi-tech polycarbonate lens
- ☐ Unique reflector housing options(150/175/240mm)
- ☐ Ease of bulb replacement, no tools required
- ☐ Unique variable focus beam, spot to flood in second



FOR USE WITH

HUNTING EQUIPMENT AGRICULTURAL EQUIPMENT EMERGENCY EQUIPMENT MARINE EQUIPMENT AUTO EQUIPMENT

INEAL FOR





FUNCTION & ADVANTAGE









ENERGY-SAVING

Model.	Output Power	Relleger Ses	Bightness	Battery Pack	Working Time	Charging Time
5JG-NFL150	100W HAL	150MM	10M Candles	×	-	-
5.IG-NPL175	188W HAL	125MM	10M Gandles	-	-	=
5JG-NFL240	100W HAL	240MM	10M Candles	-	,	4
SUG-NEL150R	100W HAL	150MM	1úM Candles	12V7AH Lead Acid	1.5H	8-10()
5JG-NFL175R	100W HAL	175MM	10M Candles	12V 7AH Lead Acid	1.5H	8-10H
5JG-NFL340R	IDAW HAL	240MM	10M Candles	12V 7AH Lead Acid	1.5H	E-10H







>> RECHARGEABLE CREE 15W



CREE @ (E

- ☐ Hi-tech polycarbonate lens
- ☐ Unique reflector housing options(150/175/240mm)
- ☐ Ease of bulb replacement, no tools required
- ☐ Unique variable focus beam, spot to flood in second



FOR USE WITH

HUNTING EQUIPMENT AGRICULTURAL EQUIPMENT EMERGENCY EQUIPMENT MARINE EQUIPMENT AUTO EQUIPMENT

INEAL FOR





FUNCTION & ADVANTAGE









W Superstrong Quantity

ENERGY-SAVING

Manel	B/G-KFC140-G	BIG-TELLED-G-(3V	6/9-T01(ED-G
Bulb Type	CREE T6 10W LED	CREE T6 10W LED	CREE T6 10W LED
Branness	1190Lm	FARREW:	HUULM
Capacity	- 1	-	3.7V 3.6Ah Lithium
Werking Dime	`		зн
Charging Time	+	*	8H
Ballery Life			500 Cycles
OPERATING TEMP	-40℃~+80℃	-40℃~+80℃	-40℃~+80℃







>> RECHARGEABLE CREE 10W



- ☐ Multifunction handheld spotlight
- ☐ New design, multifunction handle
- ☐ USA CREE LED bulb, energy saving, long lifespan
- ☐ Waterproof IP68, suitable for diving
- ☐ High quality rechargeable lithium battery, super lightweight, larger capacity







Colours:





FOR USE WITH

HUNTING EQUIPMENT AGRICULTURAL EQUIPMENT EMERGENCY EQUIPMENT MARINE EQUIPMENT AUTO EQUIPMENT

INEAL FOR



FUNCTION & ADVANTAGE







W Superstrong Quantity
OF ELECTRICITY

ENERGY-SAVING

Technical Information

Model	8JG-9910	
Bulb Type	CREE T6 10W LED	
Brightness	Trookin	
Capacity	3.7V 6Ah Lithium	
Working Time	3H-7H	
Charging Time	8H	
Battery Life	500 Cycles	
OPERATING TEMP	-40℃~+80℃	

The use of four different state:



>> RECHARGEABLE CREE 10W



CREE &

- ☐ Portable with a handgrip
- ☐ Aluminum alloy body and ABS plastic head
- ☐ 3 Switch mode: High/Low/Strobe
- ☐ AC/DC charger and shoulder Belt
- ☐ With a USB charging interface
- ☐ With flood light, wide beam angle



FOR USE WITH

AGRICULTURAL EQUIPMENT AIRPORT EQUIPMENT GARBAGE TRUCKS FLEET VEHICLES SERVICE BODIES

INEAL FOR







FUNCTION & ADVANTAGE









Technical Information

Model	5JG-A8501	
Bulb Type	CREE T6 10W	
Brightness	1000Lm	
Capacity	3.7V 6600mAH Lithium	
Working Time	3H-6H	i
Charging Time	6H	
Battery Life	500 Cycles	ı
Size	215.6*119*162mm	
OPERATING TEMP	-40 ℃~+80 C	Ī

USB charging interface



The power switch



Lamp holder structure



>> RECHARGEABLE CREE 15W



CREE &

- □ Portable with a handgrip
- ☐ Aluminum alloy body and ABS plastic head
- ☐ 3 Switch mode: High/Low/Strobe
- ☐ AC/DC charger and shoulder Belt
- ☐ With a USB charging interface
- ☐ With flood light, wide beam angle



FOR USE WITH

AGRICULTURAL EQUIPMENT AIRPORT EQUIPMENT GARBAGE TRUCKS FLEET VEHICLES SERVICE BODIES

INEAL FOR







FUNCTION & ADVANTAGE











Technical Information

Model	5JG-A398	5JG-A399
Bulb Type	Cree 15W	Cree 15W
Brightness	(600Lm	1600Lm
Capacity	3.7V 3.6Ah Lithium	3.7V 3.6Ah Lithium
Working Time	4-8-5H	3-6H
Charging Time	8-10H	8-10H
Battery Life	500 Cycles	500 Cycles
Size	240*139*183	240*139*183
Material	ABS.	ABS
OPERATING TEMP	-40℃~+80℃	-40℃~+80℃

USB charging interface



The power switch



Lamp holder structure




>> RECHARGEABLE CREE 10W



CREE @ (E

- ☐ Portable with a handgrip
- ☐ Aluminum alloy body and ABS plastic head
- ☐ 3 Switch mode: High/Low/Strobe
- ☐ AC/DC charger and shoulder Belt



FOR USE WITH

AGRICULTURAL EQUIPMENT AIRPORT EQUIPMENT GARBAGE TRUCKS FLEET VEHICLES SERVICE BODIES

INEAL FOR







FUNCTION & ADVANTAGE









Superstrong Quantity
OF ELECTRICITY

ENERGY-SAVING

Model	5JG-A390E	5JG-A380-T6
Bulb Type	CreeT6 10W LED	CreeT6 10W LED
Brightness	810Lm	810Lm
Capacity	4V9AH Lead Acid	6V4.5AH Lead Acid
Working Time	7H-43H	4 5H
Charging Time	8-10H	8-10H
Battery Life	500 Cycles	500 Cycles
Material	ABS	ABS
OPERATING TEMP	-40℃~+80℃	-40℃-+80℃









CREE♦ 2 (€

- Portable with a handgrip
- ☐ Aluminum alloy body and ABS plastic head
- ☐ 3 Switch mode: High/Low/Strobe
- ☐ AC/DC charger and shoulder Belt



FOR USE WITH

AGRICULTURAL EQUIPMENT AIRPORT EQUIPMENT GARBAGE TRUCKS FLEET VEHICLES SERVICE BODIES

INEAL FOR







FUNCTION & ADVANTAGE









Model	Bulbs	Battery	Work Time	Luminous
5JG-A365	Cree 5W LED	4V 9Ah Lead Acid	8-15H	350Lm
5JG-A360	CreeT6 10W LED	4V 9Ah Lead Acid	8-12H	ätüLm
5JG-A365-LI	Cree 5W LED	3.7V 3.6Ah Lithium	2.5-7H	350Lm
5JG-A350-L1	CreeT6 10W	3.7V 3.6Ah Lithium	2 5-7H	810Lm









CREE♦ 2 (€

- ☐ High efficient LED bulb
- ☐ Long working ime
- □ Humanization design
- ☐ Rotatable handle



FOR USE WITH

AGRICULTURAL EQUIPMENT AIRPORT EQUIPMENT GARBAGE TRUCKS FLEET VEHICLES SERVICE BODIES

INEAL FOR





FUNCTION & ADVANTAGE









ENERGY-SAVING

Technical Information

Model	5JG-602E-BK	5JG-602E-T6
Bulb Type	3W LED	CreeT6 10W LED
Brightness	(60Lm	810Lm
Capacity	3.7V 2Ah Lithium	3.7V 6Ah Lithium
Working Time	8+1	411
Charging Time	8-10H	8-10H
Battery Life	500 Cycles	500 Cycles
Material	ABS	ABS
OPERATING TEMP	-40℃-+80℃	-40℃~+80℃

USB charging interface



The power switch



Lamp holder structure



>> HANDHELD SPOTLIGHT



Model	Output Power	Baltery	Working Time	Charging time	Brightness	Color
5JG-SLE88- 3W-BK	Cree 3W LED	3.7V3Ah Lithium	4.5 H	8-10 H	810Lm	
5JG-SLE88R- 35WHID	35W HID	12V3,9Ah Lithlum	1 H	8-10 H	3500Lm	Black
5JG-SLE88-100W	100W HAL	-	*		10M Candles	Golder
5JG-SLE88- 35WHID	35W HID		- 2	-	3500Lm	2.000.0



FOR USE WITH

AGRICULTURAL EQUIPMENT AIRPORT EQUIPMENT GARBAGE TRUCKS FLEET VEHICLES SERVICE BODIES

INEAL FOR







FUNCTION & ADVANTAGE









Technical Information

Madel	Output Power	Battery	Warking Time	Clarging lime	Brg truss
5JG-868H-BK	100W HAL	12V7Ah Lead Acid	1.5 H	8-10 H	10M Candles
5JG+868C+6K	35W HID	12V7Ah Lead Acid	1.5 H	8-10-0	3500Lm
5JG-868D-BK	35W HID	12V 8,8Ah Lithium	2.5 H	8-10 H	3500Lm
540-88878-BK	Cree TG 10W LED	5V 6 SAN Lead Actid	981	6-1011	200Lm

5JG-868







☐ Various bulb options HID/LED/Halogen

☐ Aluminum reflector, fast heat radiation;

☐ Supply with shoulder belt, convenient to take

>> RECHARGEABLE CREE 12W



- Portable with a handgrip.
- ☐ Aluminum alloy body and ABS plastic head

5JG-9912

- ☐ AC/DC charger and shoulder Belt
- ☐ 3 Switch mode: High / Low / Strobe



CREE @ CE

FOR USE WITH

AGRICULTURAL EQUIPMENT AIRPORT EQUIPMENT GARBAGE TRUCKS FLEET VEHICLES SERVICE BODIES

INEAL FOR







FUNCTION & ADVANTAGE











Technical Information

Model	5JG-9912	5JG-IL4001
Bulb Type	CREE 12W	CREE 12W
Brightness	1000Lm	(000Lm
Capacity	3.7V 3600mAH Lithium	3.7V 3600mAH Lithium
Working Time	1.5H/5H/8H	1.5H/5H/8H
Charging Time	8H	8H
Lens	PC	PC
Size	227*103*119.5mm	122*97*103mm
OPERATING TEMP	-40°C==80°C	-40°C-+80°C

USB charging interface



Handle style



Function





FOR USE WITH

AGRICULTURAL EQUIPMENT AIRPORT EQUIPMENT GARBAGE TRUCKS FLEET VEHICLES SERVICE BODIES

INEAL FOR







FUNCTION & ADVANTAGE











ENERGY-SAVING

Model	BJG-W051-F-IL
Bulb Type	15W
Brightness	Trookin
Capacity	3.7V 3600mAH Lithium
Working Time	4,5H
Charging Time	8H
Lens	P6
Size	131*113.5*184mm
OPERATING TEMP	-40℃~+80℃







>> RECHARGEABLE CREE 10W






Installation:

Put the lamp socket on the bracket , and then push the lamp to the \odot direction.

Uninstall method:

Press the button 3 , pull the lamp socket out as the 2 direction.







FOR USE WITH

BIKE EMERGENCY HUNTING

INEAL FOR



FUNCTION & ADVANTAGE









Technical Information

Model	BJG-BC001	
Bulb Type	CREE T6 10W	
Brigniness	1000Lm	
Capacity	3.7V 2400mAH Lithium	
Working Time	1,5H(3H)4 5H	
Charging Time	4H	
Battery Life	500 Cycles	
Size	103*40*86.5mm	
OPERATING TEMP	-40°C~+80°C	

USB charging interface







Lamp holder structure





CREE @

- ☐ 2*18650 Lithium battery inside.
- ☐ Signal bulb: central bulb: CREE 3W LED.
- ☐ Around bulb: 8 Pcs Red,8 Pcs Green, 4 Pcs White
- ☐ Over 100000 Hrs lifespan
- ☐ With PC lens, strong nylon body material
- ☐ Working time: Low/8Hrs High/4Hrs



FOR USE WITH

AGRICULTURAL EQUIPMENT AIRPORT EQUIPMENT GARBAGE TRUCKS FLEET VEHICLES SERVICE BODIES

INEAL FOR





FUNCTION & ADVANTAGE









ENERGY-SAVING


Model	EJG-A370
Bulb Type	CREE 3W
Brightness	210Lm
Capacity	2*18650 Lithium
Working Time	High 4H, Low; 8H
Charging Time	8H
Signal Lamp Buin Qty	8pcs Red, 8pcs Green. 4pcs White
Size	103*40*86.5mm
OPERATING TEMP	-40℃-+80℃











Superstrong Quantity
OF ELECTRICITY

Technical Information 5JG-9913/5JG-9913Li Model 5JG-9915 Bulb Type CREE 3W CREE 3W Brightness 210Lm 3.7V 3600mah Lithium 3*AA/3.7V 3600mah Capacity Warking Time 4H/8H Charging Time 8H 6H Lens PC PC Size 207*70*70 38*48*182mm OPERATING TEMP -40°C-+BG°C -409-+80°C Electric Quantity Display 90° Rotation Small Size





